


Bf 109G-6

eduard

GERMAN WWII FIGHTER

1/48 SCALE PLASTIC KIT

#BFC019



INTRO

No other aircraft of the German Luftwaffe is so intimately connected with its rise and fall in the course of the Second World War than the Messerschmitt Bf 109. This type, by whose evolution outlived the era in which it was conceptualized, bore the brunt of Luftwaffe duties from the opening battles of Nazi Germany through to her final downfall. The history of the aircraft begins during 1934-35, when the Reich Ministry of Aviation formulated a requirement for the development of a single-engined monoplane fighter. Proposals were submitted by Arado, Heinkel, Focke-Wulf and Bayerische Flugzeugwerke. The last mentioned firm featured a technical director named Professor Willy Messerschmitt, who was riding a wave of popularity based on the success of his recent liaison aircraft, the Bf 108. His goal was to conceive of an aircraft with the best possible performance for the specified weight, size, and aerodynamic qualities. Over the subsequent months, several prototypes were built that served first and foremost in development flights and further modifications. The aircraft was relatively small, and compared to the prevailing trends of the time, docile with revolutionary features such as low wing design, the use of a retractable landing gear, a wing with a very narrow profile, wing slats, landing flaps, weapons firing through the prop hub, and so on. Even the enclosed cockpit and the method of construction were not very common just four years prior to the beginning of the Second World War. At its conception, the Bf 109 was a very promising asset despite some powerplant troubles. These were solved by the introduction of the DB 601. This engine, together with its extrapolated development DB 605, is umbilically connected to the types success. These two-row, twelve cylinder inverted V engines powered several tens of thousands of '109s in over 25 versions and variants.

The first combat use was by three developmental Bf 109s in the Spanish Civil War, where they were delivered in December 1936. The pre-series airframes were to, first of all, validate the aircraft's abilities in modern aerial combat. Shortly thereafter, production machines in the form of the Bf 109B-1 began to reach 2./J.88, the Legion Condor. The desire of Germany to demonstrate her aerial prowess to potential foes was advanced further in international sport meets. The triumphs attained in Zurich in the summer of 1937 were complemented several months later by grabbing the speed record of 610.95 kph. In very short order, the progressive developments represented by the C, D and E versions appeared. Despite this, the delivery of the types to combat units did not sustain a rate that was desired by military brass. Even by August 1938, the Bf 109 accounted for less than half of the 643 front line fighters in service. The later months saw an increase in these rates. By the time of the invasion of Poland (which saw the participation of only a little more than 200 aircraft) the Luftwaffe possessed the best fighter produced in continental Europe. With both a qualitative and quantitative advantage, the fighter wing of the Luftwaffe entered the Polish campaign, the first defenses of the Fatherland, Blitzkrieg against the West, and the Battle for France. With one foot in the door that was the English Channel, the Luftwaffe embarked on the attacks on Britain in the summer months of 1940. Here, the first weakness of the Bf 109 was revealed: the inability to carry drop tanks that would have enabled the type to effectively escort bombers to England. This was one of the factors that made the defeat of the Luftwaffe in the Battle of Britain possible. Experiences gained in 1940 led to the development of the 'F' version prior to the spring of 1941. The elegance of the Bf 109 crested with the 'Friedrich'. Following a largely defensive stance over the Channel and northern France, the Bf 109F took on a more offensive role in Operation Barbarossa in the east, and in northern Africa. In later duties with the 'Jagdwaffe' during the second phase of the war in the east, and in the 'Defense of the Reich' from 1943 to 1945, the Bf 109 served in the form of the 'G' version, followed by the 'K'. Even if by the end of the war it was clear that the development of the Bf 109 was exhausted, during its combat career, the type was able to keep pace with the foes that it encountered. Besides its primary function as fighter, the Bf 109 also appeared as a fighter-bomber, reconnaissance platform, night fighter, trainer and rammjäger.

The disappearance of the Bf 109 from the skies over Europe was not spelled out by the end of the war. Several examples were in Swiss service up to 1949, and many flew in the air force of Czechoslovakia in both original form with a DB 605 powerplant and as aircraft built out of necessity with surplus Jumo 211s. The latter type also served as the first fighter to fight for the independence of the newly formed state of Israel. Finland retired the type as recently as 1954, and Spain didn't retire its HA-1109-1112, re-engined Bf 109s, until 1967. The legendary low-wing fighter of Professor Willy Messerschmitt survived the state that developed it.

ÚVODEM

Žádný jiný stroj německé Luftwaffe není výraznější spojen s jejím vzestupem a pádem ve 2. světové válce, než stíhací Messerschmitt Bf 109. Letoun, který svou koncepcí výrazně předběhl dobu, ve které vznikal, se stal tahounem stíhacího letectva od prvních válečných konfliktů nacistického Německa, až do jeho hořkého konce. Historie letounu se začíná v období let 1934-35, kdy Říšské ministerstvo letectví formulovalo specifikace zakázky na vývoj jednomotorové jednoplošné stíhačky. Projektu se zúčastnily firmy Arado, Heinkel, Focke-Wulf a Bayerische Flugzeugwerke. V poslední jmenované působil na postu technického ředitele profesor Willy Messerschmitt, jehož popularita se nesla na vlně úspěchu nedávno dokončeného kuryřního Bf 108. Jeho cílem bylo vytvořit letoun s co největším poměrem výkonu k celkové hmotnosti, velikosti a aerodynamickým vlastnostem. V průběhu následujících měsíců vzniklo několik prototypů, které sloužily zejména ke zkouškám a dalšímu vývoji. Letoun byl poměrně malý, oproti stávajícím zvyklostem relativně jemný, s revolučními konstrukčními prvky jako byla dolnopříďlá koncepce, použití zatahovacího podvozku, křídlo s velmi štíhlým profylem, pohyblivé sloty, vztlakové klapky, zbraně střílející osou vrtule, atd.

Dokonce uzavíratelný překryt kabiny nebo skořepinová konstrukce nebyly čtyři roky před začátkem 2. světové války tak obvyklým jevem, jak by se z dnešního pohledu mohlo zdát. Bf 109 byl již od počátku svého vývoje, i přes problémy s pohonnou jednotkou, velmi nadějným projektem. Problemy s pohonom vyřešila až záštavba motoru DB 601. Ten je spolu s pozdějším DB 605 neodmyslitelně spojen s úspěchy Bf 109. Řadový invertní dvanáctiválec do pohánu několik desítek tisíc vyprodukovaných „stodevítek“ ve více než 25 verzích a variantách. K prvnímu bojovému nasazení tří zkušebních kusů Bf 109 došlo za občanské války ve Španělsku, kam byly odesány v prosinci 1936. Stroje z předsériové výroby měly především ukázat schopnosti letounu v moderní letecké válce. Následně se do bojového nasazení u 2./J.88 Legion Condor začaly dostávat i sériové stroje varinty Bf 109B-1. Snaze Německa ukazovat svou leteckou sílu potenciálním protivníkům napomáhala i sportovní klání. Triumf letounu Bf 109 na leteckém mítingu v Curychu v létě 1937 byl doplněn o několik měsíců později ustanovením rychlostního rekordu 610,95 km/h. Ve velmi krátkých časových úsecích následovaly verze C, D a E. Přesto však doplňování nových strojů k bojovým útvárum nepokračovalo tempem, který by si velení mohlo přát. Ještě v srpnu roku 1938 tvořila výzbroj letouny Bf 109 méně než polovinu z 643 stíhačů první linie. Ovšem během následujících měsíců roku se tempo dodávek k bojovým útvárum zrychlilo. V okamžík přepadení Polska (kterého se však zúčastnilo jen o málo více než dvě stě Bf 109) tak Luftwaffe disponovala zajistější nejlepší stíhačkou, jaká byla v kontinentální Evropě vyrobena. S technickou i množstevní převahou tak stíhací část Luftwaffe absolvovala polskou kampaň, první obranu Vaterlandu, Blitzkrieg proti západu i bitvu o Francii. S jednou nohou vykročenou přes kanál La Manche zahájila Luftwaffe v letech měsících roku 1940 útoky na Británii. V tu dobu se mj. projevil jeden významný nedostatek Bf 109 - nepřipravenost konstrukce stroje na nesení přídavné nádrže, která by zvýšila dolet letounu při doprovodu bombardérů nad Británií. Tato zdánlivá malichernost byla jedním z faktorů, které zapříčinily porážku Luftwaffe v Bitvě o Británii. Zkušenosti z bojů v r. 1940 napomohly při vývoji verze F, která se začala k bojovým útvárum dostávat během předjaří 1941. Elegance Bf 109 u „Friedricha“ dosáhla vrcholu. Po bojích nad Kanálem a severní Francií, spíše již defenzivního charakteru, se Bf 109F zapojily i do útočných akcí, a to zejména při operaci Barbarossa na východě nebo v severní Africe. Do pozdějších úkolů Jagdwaffe ve druhé fázi války na východě i do obrany Říše v letech 1943 - 1945 se zapojovaly především Bf 109 verze G a v posledních měsících války pak také verze K. Ačkoli na konci války bylo jasné, že koncepce letounu Bf 109 se po deseti letech služby dostala na hranici možností, po celou dobu své bojové činnosti dokázaly jednotlivé varianty držet krok se svými stíhacími protivníky. Kromě svého prioritního určení stíhacího letounu se Bf 109 objevily i v rolích stíhací-bombardovací, průzkumná, noční stíhací, palubní stíhací, cvičné nebo jako rammjäger.

Nebude se pro Bf 109 nezavřelo ani po skončení války. Několik strojů sloužilo až do roku 1949 ve Švýcarsku, mnohé létaly v balkánských zemích, v osvobozeném Československu, a to jak v původní podobě s motory DB 605, tak v přestavěné variantě s motory Jumo 211. Zejména tyto stroje později tvořily základ letectva bránícího svobodu nově budovaného státu Izrael. Finsko zrušilo Bf 109 až v roce 1954 a Španělsko opustilo své HA-1109 a 1112 dokonce až v roce 1967.

BFC019 - NAV1

ATTENTION

UPOZORNĚNÍ

ACHTUNG

ATTENTION

注意



Carefully read instruction sheet before assembling. When you use glue or paint, do not use near open flame and use in well ventilated room. Keep out of reach of small children. Children must not be allowed to suck any part, or pull vinyl bag over the head.



Před započetím stavby si pečlivě prostudujte stavební návod. Při používání barev a lepidel pracujte v dobré větrané místnosti. Lepidla ani barvy nepoužívejte v blízkosti otevřeného ohně. Model není určen malým dětem, mohlo by dojít k požití drobných dílů.

INSTRUCTION SIGNS ★ INSTR. SYMBOLY ★ INSTRUKTION SINNBLDEN ★ SYMBOLES ★ 記号の説明



OPTIONAL VOLBA



BEND OHNOUT

OPEN HOLE
VYVRATOT OTVORSYMMETRICAL ASSEMBLY
SYMETRICKÁ MONTÁŽREMOVE
ODRIZNOUTREVERSE SIDE
OTOČITAPPLY EDUARD MASK
AND PAINT
POUZIT EDUARD MASK
NABARVIT


PARTS

DÍLY






TEILE

PIÈCES


部品

H> 2 pcs.



PLASTIC PARTS

I> 2 pcs.**J> 2 pcs.****N> 2 pcs.****T> 2 pcs.**
**eduard
MASK**
2 pcs.

RP - RESIN PARTS



PE - PHOTO ETCHED DETAIL PARTS

2 pcs.**R59 2pcs.****R101****R100****R97****R98**

Mr.METAL COLOR

H 90**C47**

CLEAR RED

H 94**C138**

CLEAR GREEN

H 310**C310**

BROWN

H 320**C320**

DARK GREEN

H 322**C322**

CYANINE BLUE

H 413**C113**

YELLOW

RLM04**H 414****C114**

RED

RLM23**H 416****C116**

BLACK GRAY

RLM66**H 417****C117**

LIGHT BLUE

RLM76**H 418****C118**

LIGHT BLUE

RLM78**H 420****C120**

OLIVE GREEN

RLM80

FILM



-Parts not for use. -Teile werden nicht verwendet. -Pièces à ne pas utiliser. -Tyto díly nepoužívejte při stavbě. - 使用しない部品

COLOURS

BARVY

FARBEN

PEINTURE

色



GSI Creos (GUNZE)




AQUEOUS	Mr.COLOR	
[H 2]	[C2]	BLACK
[H 8]	[C8]	SILVER
[H 11]	[C62]	WHITE
[H 12]	[C33]	FLAT BLACK
[H 25]	[C34]	SKY BLUE
[H 47]	[C41]	RED BROWN
[H 65]	[C18]	BLACK GREEN
[H 66]	[C119]	SANDY BROWN
[H 68]	[C36]	DARK GRAY
[H 69]	[C37]	GRAY
[H 70]	[C60]	GRAY
[H 77]	[C137]	TIRE BLACK
[H 78]	[C38]	OLIVE DRAB
[H 79]	[C39]	DARK YELLOW



AQUEOUS


[H 90]	[C47]	CLEAR RED
[H 94]	[C138]	CLEAR GREEN
[H 310]	[C310]	BROWN
[H 320]	[C320]	DARK GREEN
[H 322]	[C322]	CYANINE BLUE
[H 413]	[C113]	YELLOW
[H 414]	[C114]	RED
[H 416]	[C116]	BLACK GRAY
[H 417]	[C117]	LIGHT BLUE
[H 418]	[C118]	LIGHT BLUE
[H 420]	[C120]	OLIVE GREEN
Mr.METAL COLOR		
[MC213]	[MC213]	STAINLESS
[MC214]	[MC214]	DARK IRON



FOR BRASSIN
COCKPIT
GO TO PAGE 12
























**FOR BRASSIN
WHEELS
GO TO PAGE 14**









**FOR BRASSIN
WHEELS
GO TO PAGE 14**












C

FOR BRASSIN
PROPELLER
GO TO PAGE 14






**eduard
MASK
BFC019**



RP - RESIN PARTS





FILM




DECAL



PE - PHOTO ETCHED DETAIL PARTS






PE3











eduard
BRASSIN

B










2










Revi 12c




RP - RESIN PARTS

R59 2pcs.



1



RP - RESIN PARTS

R97




R100



R99
3pcs.

R98



PE - PHOTO ETCHED DETAIL PARTS






plastic H67

2

SUPER FINE SILVER

RP98






A Lt. Eduard Kleinkönig, JG 9, Kolguyev Island, 1946 (fictional)






WHITE	H11 C62	RLM 23 H414 C114	DARK GREEN H320 C320	BLACK	H12 C33
RLM 04 H413 C113	RLM 24 H322 C322	RLM 79 H66 C119	RLM 80 H420 C120	RLM 78 H418 C118	RLM 70 H65 C18

B Hptm. Horst Carganico, the CO of II./ JG 5, Pskow South airfield, Soviet Union, early 1944




RLM 04	H413 C113	WHITE	H11 C62	RLM 23	H414 C114		
RLM 74	H68 C36	RLM 75	H69 C37	RLM 76	H417 C117	RLM 70	H65 C18

C W. Nr.161742, flown by Rtk. Rudolf Božík, Combined Flight, Slovak National Uprising, Tri Duby airfield, Slovakia, September 1944 (fictional)




RLM 04	H413 C113	WHITE	H11 C62	RLM 70	H65 C18	BLACK	H12 C33
RLM 74	H68 C36	RLM 75	H69 C37	RLM 76	H417 C117	RLM 23	H414 C114

**D W.Nr. 161742, flown by Rtk. Rudolf Božík, Combined Flight, Slovak National Uprising,
Tri Duby airfield, Slovakia, September 1944**



RLM 04	H413 C113	WHITE	H11 C62	RLM 70	H65 C18		
RLM 74	H68 C36	RLM 75	H69 C37	RLM 76	H417 C117	RLM 23	H414 C114



Bf109G-6

1/48

#BFC019

eduard

Related products:

48885 Bf 109G-6 (PE-Set)

49093 Bf 109G seatbelts FABRIC (PE-Set)

49094 Bf 109G seatbelts SUPERFABRIC (PE-Set)

49095 Seatbelts Luftwaffe WWII fighters STEEL (PE-Set)

648239 Bf 109G-6 radio compartment (Brassín)

648240 Bf 109G-6 cockpit (Brassín)

648245 W.Gr.21 for Bf 109 (Brassín)

648246 Bf 109 cannon pods (Brassín)

648247 Bf 109G exhaust stacks (Brassín)

648255 Bf 109G-6 propeller (Brassín)

648261 Bf 109G-6 wheels (Brassín)

648265 Bf 109G external fuel tanks (Brassín)

EX509 Bf 109G camo scheme - Mitt (Mask)

EX510 Bf 109G camo scheme - Erla (Mask)

EX511 Bf 109G camo scheme - WNF (Mask)

EX512 Bf 109G spinner spirals (Mask)

D48027 Bf 109G Balkenkreuze (Decal)

BFC014 Bf 109G-6 1/48 (Decal)

BFC015 Bf 109G Royal 1/48 (Decal)